

# Vorlage für APT sources.list (aktuell Debian Trixie)

## Debian Trixie

Diese Vorlage beinhaltet die kompletten APT Quellen für das aktuelle Debian Release. Das [proposed-updates](#) Repository enthält Pakete, die für das nächste Debian Point-Release vorgesehen sind und sollte nur in Ausnahmefällen aktiviert werden.

Ab Debian Trixie sollten die Dateien im neuen Format [deb822](#) gespeichert werden. Diese Repository-Dateien haben die Dateiendung `.sources`. Auch sollte die Datei `/etc/apt/sources.list` leer bleiben und alle Repositories in `/etc/apt/sources.list.d` verwaltet werden.

Mit dem Befehl `apt modernize-sources` kann man die Sources auf das neue Format aktualisieren. Dabei auf die Warnungen achten.

Werden auch die Paketquellen benötigt ist bei "Types" noch die Angabe "deb-src" zu ergänzen.

### **`/etc/apt/sources.list.d/debian.sources`**

```
Types: deb
URIs: http://deb.debian.org/debian/
Suites: trixie
Components: main non-free-firmware
Signed-By: /usr/share/keyrings/debian-archive-keyring.gpg
```

```
Types: deb
URIs: http://security.debian.org/debian-security/
Suites: trixie-security
Components: main non-free-firmware
Signed-By: /usr/share/keyrings/debian-archive-keyring.gpg
```

```
Types: deb
URIs: http://deb.debian.org/debian/
Suites: trixie-updates
Components: main non-free-firmware
Signed-By: /usr/share/keyrings/debian-archive-keyring.gpg
```

```
Types: deb
URIs: http://deb.debian.org/debian
```

```
Suites: trixie-backports
Components: main
Signed-By: /usr/share/keyrings/debian-archive-keyring.gpg
```

Alternativ kann man statt des Release-Namens auch "stable" oder "oldstable" verwenden. Dabei ist allerdings Vorsicht geboten, da dann auch mal ein unbeabsichtigtes Release-Upgrade gemacht werden könnte.

### **/etc/apt/sources.list.d/debian.sources**

```
Types: deb
URIs: http://deb.debian.org/debian/
Suites: stable
Components: main non-free-firmware
Signed-By: /usr/share/keyrings/debian-archive-keyring.gpg
```

```
Types: deb
URIs: http://security.debian.org/debian-security/
Suites: stable-security
Components: main non-free-firmware
Signed-By: /usr/share/keyrings/debian-archive-keyring.gpg
```

```
Types: deb
URIs: http://deb.debian.org/debian/
Suites: stable-updates
Components: main non-free-firmware
Signed-By: /usr/share/keyrings/debian-archive-keyring.gpg
```

## Debian Bookworm

```
deb http://deb.debian.org/debian/ bookworm contrib main non-free non-free-firmware
deb http://deb.debian.org/debian/ bookworm-updates contrib main non-free non-free-firmware
deb http://deb.debian.org/debian/ bookworm-backports contrib main non-free non-free-firmware
deb http://deb.debian.org/debian-security/ bookworm-security contrib main non-free non-free-firmware
```

## Debian Bullseye

```
deb http://archive.debian.org/debian bullseye main contrib non-free
deb http://archive.debian.org/debian bullseye-updates main contrib non-free
deb http://archive.debian.org/debian bullseye-backports main contrib non-free
deb http://security.debian.org/debian-security/ bullseye-security main contrib non-free
```

# Debian Buster

```
deb http://archive.debian.org/debian buster main contrib non-free
deb http://archive.debian.org/debian buster-updates main contrib non-free
deb http://archive.debian.org/debian buster-backports main contrib non-free
deb http://archive.debian.org/debian-security buster/updates main contrib non-free
```

---

Revision #13

Created 2023-11-02 08:28:58 UTC by magenbrot

Updated 2025-12-02 13:49:41 UTC by magenbrot