

# header-Checks

Ein Beispiel für die Datei /etc/postfix/header\_checks

```
IF /^Subject:/

/^Subject: Belebt Geist und Korper/          REJECT Message content rejected;
/^Subject: Bitte tiefer eindringen und abladen/ REJECT Message content rejected;
/^Subject: Nie mehr zu fruh kommen/        REJECT Message content rejected;
/^Subject: Privatkredite/                  REJECT Message content rejected;
/^Subject: schoolgirls/                   REJECT Message content rejected;
/^Subject: Russian/                       REJECT Message content rejected;
/^Subject: Potenzprobleme/                REJECT Message content rejected;
/^Subject: Probieren Sie es/              REJECT Message content rejected;
/^Subject: Teenage/                       REJECT Message content rejected;
/^Subject: Spitzenduell/                  REJECT Message content rejected;
/^Subject: Energy/                        REJECT Message content rejected;
/^Subject: sparen/                        REJECT Message content rejected;
/^Subject: Banish/                        REJECT Message content rejected;
/^Subject: rufen/                         REJECT Message content rejected;
/^Subject: Rabatte/                       REJECT Message content rejected;
/^Subject: safe/                          REJECT Message content rejected;
/^Subject: Ficken/                        REJECT Message content rejected;
/^Subject: Financial/                     REJECT Message content rejected;
/^Subject: girl/                          REJECT Message content rejected;
/^Subject: Happy/                         REJECT Message content rejected;
/^Subject: Newsletter/                    REJECT Message content rejected;
/^Subject: lebt/                          REJECT Message content rejected;
/^Subject: Man/                           REJECT Message content rejected;
/^Subject: PAYMENT/                       REJECT Message content rejected;
/^Subject: Pedolover/                     REJECT Message content rejected;
/^Subject: Pedo/                          REJECT Message content rejected;
/^Subject: Medically/                     REJECT Message content rejected;
/^Subject: Pics/                          REJECT Message content rejected;
/^Subject: %/                              REJECT Message content rejected;
ENDIF
```

Einzelne Regeln lassen sich auch folgendermaßen testen:

```
echo 'Subject: Belebt Geist und Korper' | postmap -fq - pcre:/etc/postfix/header_checks
```

Revision #1

Created 2021-04-30 12:41:38 UTC by magenbrot

Updated 2021-04-30 12:41:49 UTC by magenbrot