

header-Checks

Ein Beispiel für die Datei /etc/postfix/header_checks

```

IF /^Subject:/
/^Subject: Belebt Geist und Korper/
/^Subject: Bitte tiefer eindringen und abladen/
/^Subject: Nie mehr zu fruh kommen/
/^Subject: Privatkredite/
/^Subject: schoolgirls/
/^Subject: Russian/
/^Subject: Potenzprobleme/
/^Subject: Probieren Sie es/
/^Subject: Teenage/
/^Subject: Spitzenduell/
/^Subject: Energy/
/^Subject: sparen/
/^Subject: Banish/
/^Subject: rufen/
/^Subject: Rabatte/
/^Subject: safe/
/^Subject: Ficken/
/^Subject: Financial/
/^Subject: girl/
/^Subject: Happy/
/^Subject: Newsletter/
/^Subject: lebt/
/^Subject: Man/
/^Subject: PAYMENT/
/^Subject: Pedolover/
/^Subject: Pedo/
/^Subject: Medically/
/^Subject: Pics/
/^Subject: %/
ENDIF

```

Einzelne Regeln lassen sich auch folgendermaßen testen:

```
echo 'Subject: Belebt Geist und Korper' | postmap -fg - pcre:/etc/postfix/header_checks
```

Revision #1

Created 30 April 2021 12:41:38 by magenbrot

Updated 30 April 2021 12:41:49 by magenbrot