

# mysqltuner - MySQL Performance Tuning Check-Script

MySQLTuner is ein Perlscript, das versucht die MySQL Konfiguration zu prüfen und Vorschläge zum Tuning auf Basis der laufenden Installation zu machen.

Installation:

```
wget -O mysqltuner.pl http://mysqltuner.pl,  
chmod u+x mysqltuner.pl
```

Ausführung:

```
./mysqltuner.pl
```

Di 27.

Jul 2021 14:48:07

```
>> MySQLTuner 1.8.1 - Major Hayden <major@mhtx.net>  
>> Bug reports, feature requests, and downloads at http://mysqltuner.pl/  
>> Run with '--help' for additional options and output filtering
```

[--] Skipped version check for MySQLTuner script

[OK] Logged in using credentials from Debian maintenance account.

[OK] Currently running supported MySQL version 8.0.25-15

[OK] Operating on 64-bit architecture

----- Log file Recommendations

[OK] Log file /var/log/mysql/error.log exists

[--] Log file: /var/log/mysql/error.log(0B)

[--] Log file /var/log/mysql/error.log is empty. Assuming log-rotation. Use --server-log={file} for explicit file

----- Storage Engine Statistics

[--] Status: +ARCHIVE +BLACKHOLE +CSV -FEDERATED +InnoDB +MEMORY +MRG\_MYISAM +MyISAM +PERFORMANCE\_SCHEMA

[--] Data in InnoDB tables: 525.5M (Tables: 650)

[--] Data in MyISAM tables: 28.9M (Tables: 160)

[OK] Total fragmented tables: 0

----- Analysis Performance Metrics

-----  
[--] innodb\_stats\_on\_metadata: OFF

[OK] No stat updates during querying INFORMATION\_SCHEMA.

----- Security Recommendations

-----  
[--] Skipped due to unsupported feature for MySQL 8

----- CVE Security Recommendations

-----  
[--] Skipped due to --cvefile option undefined

----- Performance Metrics

-----  
[--] Up for: 4d 12h 47m 32s (33M q [85.194 qps], 482K conn, TX: 155G, RX: 6G)

[--] Reads / Writes: 98% / 2%

[--] Binary logging is enabled (GTID MODE: OFF)

[--] Physical Memory : 23.5G

[--] Max MySQL memory : 9.9G

[--] Other process memory: 0B

[--] Total buffers: 3.4G global + 133.6M per thread (50 max threads)

[--] P\_S Max memory usage: 72B

[--] Galera GCache Max memory usage: 0B

[OK] Maximum reached memory usage: 7.7G (32.72% of installed RAM)

[OK] Maximum possible memory usage: 9.9G (42.15% of installed RAM)

[OK] Overall possible memory usage with other process is compatible with memory available

[!!] Slow queries: 10% (3M/33M)

[OK] Highest usage of available connections: 66% (33/50)

[OK] Aborted connections: 0.27% (1314/482261)

[--] Query cache have been removed in MySQL 8

[OK] Sorts requiring temporary tables: 0% (0 temp sorts / 435K sorts)

[!!] Joins performed without indexes: 16421

[OK] Temporary tables created on disk: 12% (78K on disk / 652K total)

[OK] Thread cache hit rate: 99% (49 created / 482K connections)

[OK] Table cache hit rate: 99% (37M hits / 37M requests)

[OK] table\_definition\_cache(2000) is upper than number of tables(1149)

[OK] Open file limit used: 0% (2K/1M)

[OK] Table locks acquired immediately: 100% (1M immediate / 1M locks)

[OK] Binlog cache memory access: 99.99% (463714 Memory / 463765 Total)

----- Performance schema

-----  
[--] Memory used by P\_S: 72B  
[--] Sys schema is installed.

----- ThreadPool Metrics

-----  
[--] ThreadPool stat is enabled.  
[--] Thread Pool Size: 24 thread(s).  
[OK] thread\_pool\_size between 16 and 36 when using InnoDB storage engine.

----- MyISAM Metrics

-----  
[--] MyISAM Metrics are disabled on last MySQL versions.

----- InnoDB Metrics

-----  
[--] InnoDB is enabled.  
[--] InnoDB Thread Concurrency: 9  
[OK] InnoDB File per table is activated  
[OK] InnoDB buffer pool / data size: 3.0G/525.5M  
[OK] Ratio InnoDB log file size / InnoDB Buffer pool size: 384.0M \* 2/3.0G should be equal to 25%  
[OK] InnoDB buffer pool instances: 3  
[--] Number of InnoDB Buffer Pool Chunk : 24 for 3 Buffer Pool Instance(s)  
[OK] Innodb\_buffer\_pool\_size aligned with Innodb\_buffer\_pool\_chunk\_size & Innodb\_buffer\_pool\_instances  
[OK] InnoDB Read buffer efficiency: 100.00% (3574568225 hits/ 3574619782 total)  
[!!] InnoDB Write Log efficiency: 64.54% (3246059 hits/ 5029381 total)  
[OK] InnoDB log waits: 0.00% (0 waits / 1783322 writes)

----- Aria Metrics

-----  
[--] Aria Storage Engine not available.

----- TokuDB Metrics

-----  
[--] TokuDB is disabled.

----- XtraDB Metrics

-----  
[--] XtraDB is disabled.

----- Galera Metrics  
-----

[--] Galera is disabled.

----- Replication Metrics  
-----

[--] Galera Synchronous replication: NO  
[--] No replication slave(s) for this server.  
[--] Binlog format: MIXED  
[--] XA support enabled: ON  
[--] Semi synchronous replication Master: Not Activated  
[--] Semi synchronous replication Slave: Not Activated  
[--] This is a standalone server

----- Recommendations  
-----

General recommendations:

We will suggest raising the 'join\_buffer\_size' until JOINS not using indexes are found.  
See <https://dev.mysql.com/doc/internals/en/join-buffer-size.html>  
(specially the conclusions at the bottom of the page).

Variables to adjust:

join\_buffer\_size (> 4.0M, or always use indexes with JOINS)

---

Revision #1

Created 27 July 2021 12:44:27 by magenbrot

Updated 27 July 2021 12:52:04 by magenbrot