virtuellen Host konfigurieren

Beispiel fuer einen NamedVirtualHost (HTTP + HTTPS):

```
NameVirtualHost *:80
NameVirtualHost *:443

<VirtualHost _default_:80>
   ServerAdmin     webmaster@example.com
   ServerName      www.example.com
   ServerAlias     example.com
   DocumentRoot    /var/www/html/example.com
   ScriptAlias     /cgi-bin/ /var/www/html/example.com/cgi-bin/

   ErrorLog        logs/example.com-error_log
   CustomLog       logs/example.com-access_log combined

   RewriteEngine On

   # Umleitung auf komplette URL www.example.com
   RewriteCond %{HTTP_HOST}   !^www\.example\.com [NC]
   RewriteCond %{HTTP_HOST}   !^$
   RewriteRule ^/(.*)         http://www.example.com/$1 [L,R]

   # TRACK und TRACE deaktivieren - http://www.heise.de/security/news/meldung/43354
   RewriteCond %{REQUEST_METHOD} ^(TRACE|TRACK)
   RewriteRule .* - [F,L]
</VirtualHost>

<VirtualHost _default_:443>
   ServerAdmin     webmaster@example.com
   ServerName      www.example.com
   ServerAlias     example.com
   DocumentRoot    /var/www/html/example.com
   ScriptAlias     /cgi-bin/ /var/www/html/example.com/cgi-bin/

   ErrorLog logs/example.com-error_log
   TransferLog logs/example.com-access_log
   CustomLog logs/example.com-ssl_request_log "%t %h %{SSL_PROTOCOL}x %{SSL_CIPHER}x \"%r\"
```

```
%b"
   LogLevel warn

   SSLEngine on
   #SSLCipherSuite ALL:!ADH:!EXPORT56:RC4+RSA:+HIGH:+MEDIUM:+LOW:+SSLv2:+EXP
   SSLCipherSuite SSLv3
   SSLCertificateFile /etc/pki/tls/certs/www.example.com.crt
   SSLCertificateKeyFile /etc/pki/tls/private/www.example.com.key
   SSLCACertificateFile /etc/pki/tls/certs/cacert.pem

   <Files ~ "\.(cgi|shtml|phtml|php3?)$">
     SSLOptions +StdEnvVars
   </Files>

   <Directory "/var/www/html/example.com/cgi-bin">
     SSLOptions +StdEnvVars
   </Directory>

   SetEnvIf User-Agent ".*MSIE.*" nokeepalive ssl-unclean-shutdown downgrade-1.0 force-
response-1.0

   RewriteEngine On

   RewriteCond %{HTTP_HOST}   !^www\.example\.com [NC]
   RewriteCond %{HTTP_HOST}   !^$
   RewriteRule ^/(.*)         https://www.example.com/$1 [L,R]

   RewriteCond %{REQUEST_METHOD} ^(TRACE|TRACK)
   RewriteRule .* - [F,L]
</VirtualHost>
```

Revision #1
Created 2021-05-05 07:43:46 UTC by magenbrot
Updated 2021-05-05 07:44:02 UTC by magenbrot