

# Arkeia-Error-Codes

für Arkeia Version 4.x

```
# ==>Note where the Arkeia journal file is located:  
/usr/knox/arkeia/arkeia.jl2 (v4.2)  
# /opt/arkeia/server/server.jl2 (v5)
```

Here are the error codes and their meanings:

```
# error code = "0" : OK (end of tree)  
# error code = "1" : OK (end of tree + database updated)  
  
# error code = "2" : Connection error
```

The flow process cannot contact the client process ==> If your network is working fine, run the `chknlp` command on the backup server and client machines to identify the cause.

```
# error code = "3" : Connection lost during backup
```

The flow process lost the connection with the client process ==> If your network is working fine, check the logs on client machine side.

```
# error code = "4" : Remote command failed
```

The exit code of the remote command is not zero.

```
# error code = "5" : End of flow (abort, kill, ...)
```

\* ==>The backup has been aborted, and most of the time the reason is explained in a previous message of the journal. There can be several reasons: tape is full and there is no more tape available.

- \* the backup has been aborted by a user.
- \* the flow process has been killed.

```
# error code = "6" : Backup with errors
```

There were errors during the backup.

From:

<https://wiki.magenbrot.net/> - **magenbrotWiki**

Permanent link:

<https://wiki.magenbrot.net/linux/backup/arkeia/error-codes>

Last update: **16.04.2015 13:05**

